


Township N^o. 8 North, Range N^o. 2 East of 2nd Mer. Interior Sectional Corners described Continued.

Post's	Bearing trees	Arches	Courses	Links	Quality of the Soil	Section Corners	Bearing trees	Arches	Courses	Links	From & to	Bearing trees	Arches	Courses	Links
A	W. Oak	14	N 67 E	20	A to B. Poor hilly Oak land	23.20.33.36	do	12	S 42 E	22	I to X at 1.				
a	Gum	12	S 51 W	50		23.24.25.26	do	30	S 60 W	28					
B	W. Oak	14	S 60 E	3	B to C. Land flat bottom Timber Oak & Maple	13.14.23.24	W. Oak	6	S 50 E	11	3. B. Oak	8	S 28 E	12	
b	Buck	14	N 80 W	25			B. Oak	6	N 41 E	1		4. W. Oak	25	S 13 E	18
C	W. Oak	15	S 01 W	23		26.27.28.29	Buck	13	S 70 W	47	H to Y at 1.	5. Buck	16	S 43 W	14
c	do	25	S 39 E	24		22.23.24.25	do	12	N 86 E	62		6. Maple	5	N 15 E	14
D	Hickory	8	S 26 E	12		14.15.21.22	Buck	20	N 80 W	34	2.	Logwood	6	S 43 E	24
d	W. Oak	8	S 76 E	17		10.11.14.15	W. Oak	14	South	30					
E	B. Oak	30	S 38 E	8		27.28.33.34	Gum	12	S 100 W	23	3.				
e	Logwood	6	S 30 W	13		21.22.27.28	Logwood	5	S 54 E	13		4. W. Oak	10	N 40 E	8
F	B. Oak	12	S 61 E	18		15.16.21.22	do	10	N 22 E	16	4. Sugar	10	N 11 W	19	
f	do	8	S 14 E	21		9.10.13.14	do	5	S 58 W	11		do	25	S 25 W	30
G	Gum	6	N 50 W	29	G to H. Poor hilly Oak land	29.30.31.32	Sugar	10	N 43 E	12	O to P at 1.	Buck	4	S 78 E	14
g	B. Oak	13	N 42 E	30		19.20.29.30	do	30	S 3 E	11		Gum	6	N 71 E	24
H	W. Oak	8	N 80 W	9	H to I. Same	8.9.16.17	B. Oak	12	S 3 E	25	2. Buck	8	S 10 W	19	
h	B. Oak	12	S 46 W	12		4.5.8.9	do	16	S 73 W	13		Elm	8	S 10 W	19
I	no bearing tree				I to K. Same	29.30.31.32	Sugar	8	S 40 E	23	3. Buck	5	N 32 E	11	
i						17.18.19.20	do	4	N 52 E	33		Gum	8	S 75 E	6
K	Gum	7	S 37 W	25		7.8.17.18	W. Oak	15	S 74 W	21	5.	do	10	S 73 W	17
k	do	4	N 75 E	30		5.6.7.8	do	12	S 26 E	4		6.			
L	B. Oak	12	S 5 W	26	L to M. Hilly W. Oak land	29.30.31.32	Hickory	8	S 76 W	23	Q to R at 1.	Doquard	3	N 59 W	10
l	Hickory	10	N 50 E	6		19.20.29.30	do	5	N 9 E	22		Ironwood	5	S 44 E	13
M	B. Oak	12	N 60 E	21	M to N. Low Forest Timber Buck & Maple	17.18.19.20	do	13	N 31 E	21	2. Maple	6	N 31 E	17	
m	Buck	12	S 18 W	10		7.8.17.18	Sycamore	9	S 29 E	42		Buck	12	S 88 W	30
n	Maple	4	N 68 E	11		5.6.7.8	do	5	S 83 E	19	W. Oak	8	S 27 W	5	
o	do	11	S 15 E	6			Doquard	5	S 83 E	19	Buck	8	N 39 W	5	
N	W. Oak	36	N 57 W	23	N to O. Poor hilly land Timber Oak & Buck		Gum	5	S 80 E	4	4. B. Walnut	10	S 34 W	20	
o	Buck	12	N 45 E	21			Sugar	18	N 63 W	12		Sycamore	30	N 31 E	20
p	do	10	S 65 W	10	O to P. Same						5. Buck	8	N 32 E	24	
q	W. Oak	20	S 34 E	18								6.			
r	Buck	8	N 40 E	27							R to C at 1.	W. Oak	10	N 12 W	6
s	Hickory	15	N 31 W	20								Hickory	8	S 20 E	11
P	Poplar	36	S 20 E	30	P to Q. Land Hilly & Poor Timber Buck, Oak & Gum						2. Logwood	5	N 24 E	21	
p	B. Oak	24	S 60 E	16								Sugar	10	S 73 W	19
q	do	8	N 44 W	14							3. Poplar	8	S 65 W	30	
r	Maple	14	S 34 E	50								W. Oak	20	S 21 E	27
Q	Sugar	16	N 45 E	5	Q to R. Land gooder Timber Buck, Sugar, Poplar &c						4. W. Oak	18	S 82 E	18	
q	Gum	15	S 45 W	25								do	12	N 83 W	9
R	Sugar	14	S 21 W	14							5. Buck	10	N 83 E	22	
r	B. Oak	10	N 31 W	10								do	8	N 70 W	18
R	Sycamore	10	N 43 E	27	R to S. Land flat & wet Timber Maple & Swamp Oak						6. Hickory	4	corner		
r	Buck	11	S 37 E	20								W. Oak	4	S 5 E	12
S	do	14	S 55 W	41							2. Buck	8	S 24 E	25	
s	Maple	16	S 58 E	17								do	15	N 12 W	12
t	Water Buck	4	North	57	S to T. Land flat & wet Timber Maple &c						3. W. Oak	20	S 38 W	13	
t	Buck	13	S 74 E	21								Hickory	3	N 29 W	20
T	W. Oak	15	N 35 E	22							4. Sugar	15	corner		
t	Hickory	11	S 72 W	28											
U	Elm	15	N 47 E	41											
u	Sugar	10	S 32 W	45											
V	Ironwood	4	S 72 E	16											
v	Poplar	7	N 79 E	24											
W	W. Oak	10	S 48 W	37											
w	Buck	10	N 80 W	39											
X	Sugar	15	N 79 E	20											
x	Hickory	15	N 70 W	19											
Y	Buck	8	S 44 E	7											
y	Sugar	4	S 63 W	8											
Z	Sugar	14	N 56 W	14											
z	Buck	11	S 35 W	15											



Quantity 5.271.16 added to the last section of the Indian Boundary

Scale of forty chains per inch

Township N^o VIII North , Range N^o II East of 2nd Mer. Surveyed by James Hedges, 1819
IND

Description of the Soil on the interior Sectional line.

Section	Quality
13 & 14	Light & poor Timber M. Oak, h. Oak, Hickory &c.
11.14	Same
12.13	Same
11.12	Same
1.2	Same
10.11	Same
3.10	Same
2.11	Same
2.3	Same
3.4	Same
4.5	More or less M. Oak, Hickory &c.

INDIANA.
N & E 2 P. M.

Vol 3 Indiana

Township N^o 3 North, Range N^o 2 East of 2nd Meridian
 Interior Section Corners described Interior Quarter Section Corners

Post	Bearing tree	inches diam.	Courses they bear	Links dist.	Quality of the Soil	Corners of Section	Bearing trees	inches diam.	Courses they bear	Links dist.	From & to	Bearing tree	inches diam.	Courses they bear	Links dist.
A						11. 12. 13. 14. 15. Oak	9	N 30° E 14			1 to X at 1. Gum	14	S 83° E 21		
a						11. Oak	6	S 7° E 34				14	S 89° N 83		
B						1. 2. 11. 12. 13. Oak	5	S 75° N 33			2 to B. Oak	6	N 11° E 18		
b						do	4	S 16° E 20			12. Oak	5	S 77° N 20		
B						2. 3. 10. 11. Gum	14	N 45° N 13							
b						do	26	S 13° E 41							
c	Sugar	12	N 15° E 52												
c	N. Oak	15	S 32° E 15												
d	Gum	5	N 15° E 32												
d	Hickory	7	S 27° N 27												
e	N. Oak	13	S 40° N 34												
e	do	13	N 71° E 10												
f	N. Oak	15	S 30° N 22												
f	do	18	N 36° E 24												
g	B. Oak	5	N 14° E 25												
g	N. Oak	3	S 23° N 15												
g	do	16	S 34° N 12												
g	do	20	N 76° E 11												
h	B. Oak	14	S 25° N 37												
h	do	16	N 57° E 27												
i	P. Oak	12	N 85° E 40												
i	do	16	N 69° E 45												
j	B. Oak	24	N 43° N 11												
j	do	30	S 12° E 23												
k	N. Oak	15	S 31° N 11												
k	do	14	N 52° E 31												
l															
m															
n															
o	B. Oak	12	S 61° E 18												
o	do	8	S 14° E 21												
p	N. Oak	30	S 38° E 8												
p	do	6	S 30° N 13												
q	Hickory	8	S 26° E 12												
q	N. Oak	8	S 78° E 17												
r	N. Oak	15	S 61° N 23												
r	do	25	S 39° E 24												
s															
t															
u															
v															
w															
x	No bearing trees														
y	N. Oak	8	N 80° N 9												
y	do	12	S 46° N 12												
z															
aa	Sugar	12	Corner												
aa	do	14	N 54° N 14												
aa	do	11	S 35° N 13												
aa	do	6	N 50° N 25												
aa	do	13	N 42° E 50												


Interior Quarter Section Corners

From & to	Bearing tree	inches diam.	Courses they bear	Links dist.
1 to 2 at 1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

1 to 2				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				


IND

INDIANA.
N & E 2 P. M.



Range a East town 8 North of 2 Meridian 8N R 2E 2P M
I am a Surveyor General of the United States bearing and the
19th day of June 1812 I have been measured laid out and surveyed the above described fractional Township and do hereby
certify that it had such marked bounds both natural and artificial as are represented on said plat and also
that the field notes made thereon and returned with the plat thereof into the Surveyor General's Office are correct
A. 23 day of October 1815
Arthur H. H. Surveyor

Township N^o VIII North, Range V^o II East of 2^d Meridian.



Sec. 6. 1/2

INDIANA.
N & E 2 P. M.

40 Chains

59

174


At true copy from the Original, on file in this Office,
Surveyor General's Office, March 29th 1820.
J. L. Smith

T. S. N. R. I. E. 2nd. Mr.



The foregoing subdivisions of fractional sections
 Copied from the original plat within
 Surveyor General's Office
 Cincinnati Oct. 19th 1882

My 8. North. R. 2. E. 2. Meridian ✓




ent. Jeffersonville vol. 5 & 6. L.C.


The foregoing subdivisions of fractional sections, are truly copied from the original plat in this office.
 Surveyor General's Office }
 Cincinnati October 19th 1893.

Sam. Williams
 Ch. Clk.
 Compared


87




17



Township No. 8 N. of Range No. 2 East of 2nd Twp. West



Township No. 7 N. of Range No. 3 East of 2nd Twp. West



2

A 160. A 160
Sec. 34
A 160 A 80.00 A 71.00

A 77.62 A 70.27

A 57.00

Sec. 7

A 155.24 A 160.

Sec. 8

A 160 A 78.65 A 55.80

Sec 17

A hand-drawn survey map showing a series of connected line segments forming a boundary. The segments are labeled with bearings and distances: N 114.60, A 106.21, A 78.80, A 49.90, A 109.26, A 40.20, and A 71.30. A section line is labeled "Sec. 5" and another "Sec. 4". A north arrow is labeled "N.".

[illegible]

1.08	A 75.06		
	Sum. 16	A 87.06	
		A 106.40	
		A 17.39	
		Sum. 22	
	A 160	A 80.	A 73.57
			Sum. 23

100 Acres

Sec. 14

160

160

Sec. 13

123.97

160

79.12

61.4

Sec. 15

160

160

Sec. 16

24


160

160

186.58 160 160 77.00 82.55 81.84 73.40 67.85 40.22
 Section 21 Section 22 Section 23
 47.00 160 89.54 82.05
 76.72 160 40.86 49.32 55.75
 Section 29 Section 28
 75.46 49.28 77.04 84.68
 99.17 Section 2
 92.14
 43.26

A 84.68
A 99.14 Sec. 2
A 92.14
A 42.26

<u>£80.00</u>	<u>£74.70</u>	<u>£56.70</u>	<u>£58.26</u>
<p>Oct 23.</p> <p><u>£160.</u> <u>£160.</u></p>			



Range 2 East Town 8 North of 3rd Meridian

Remains in Contact with and Instructions from Mansfield Survey General of the United States
 dated the 19th day of June 1855 have been received and read out and surveyed the above described tract
 and do hereby certify that it had such marks and bounds both natural and artificial
 as are shown on said plat and described in the field notes made thereof and returned with
 same to the Surveyor General's Office
 Certified this 23rd day of October 1855
 Arthur Morris Surveyor



A true copy from the original, on file in the
Surveyor General's Office, March 2^d 1870.
Edward J. [Signature]